# SAFETY DATA SHEET

#### 1. Identification of the substance/mixture and of the company

#### **1.1 Product identifier**

# Product Name: PowerPatch<sup>®</sup> Slow Cure Sealant Type EPSC Paste (Part A)

Product ID numbers: EPSC-KIT1, EPSC-KIT2; EPSC-XXX (Where XXX is the package code.)

#### 1.2 Relevant identified uses of the mixture and uses advised against

Identified uses:

Sealant/adhesive resin, Part A of 2-Part Sealant

List of advices against: Not applicable.

## 1.3 Details of the supplier of the safety data sheet

## Supplier/Manufacturer:

Polywater Europe BV Zuidhaven 9-11 Unit B2 4761 CR Zevenbergen Netherlands Tel: +31 (0)10 2330578 Email: sds@ polywater.com American Polywater Corporation 11222 - 60th Street North Stillwater, MN 55082 USA Tel: 1-651-430-2270 Email: sds@polywater.com Local Contact Information

#### 1.4 Emergency telephone numbers

INFOTRAC: 1-800-535-5053 (USA) 1-352-323-3500 (INT'L)

National Poison Information Centre (NVIC): +31(0)30 274 8888 (Professional use for acute poisoning only, Netherlands.) Local poison control information.

## 2. Hazards Identification

## 2.1 Classification of the substance or mixture

Classification according to EU Regulation (EC) No 1272/2008 and Australia WHS Regulation (2011).

	<u> </u>	
Skin Irrit 2		H315
Skin Sens 1		H317
Eye Irrit 2		H319
Aquatic Tox Chronic 2		H411

## 2.2 Label elements

Contains

Bisphenol A-epichlorohydrin polymer



# H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

## H411 Toxic to aquatic life with long lasting effects

## **Precautionary Statements:**

P280	Wear protective gloves, protective clothing and eye protection.
P302 + P352 P305 + P351 +	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if
P338	present and easy to do. Continue rinsing.
P273	Avoid release to the environment
P391	Collect spillage.
P501	Dispose of container in accordance with local regulations
2.3 Other hazards:	No information available.

## 3. Composition/Information on Ingredients

<u>Component</u> Bisphenol A-epichlorohydrin polymer	<u>CAS #</u> 25068-38-6	<u>EC #</u> 500-033-5	<u>Wt. %</u> 30 - 50	<u>GHS/CLP Classification</u> Skin Irrit 2, H315 Skin Sens 1, H317 Eye Irrit 2A, H319
--	----------------------------	--------------------------	-------------------------	--

#### 4. First Aid Measures

#### 4.1 Description of first aid measures

Eye Contact:	Immediately flush eyes with large quantity of water for 15 minutes. Seek medical attention.			
Skin Contact:	Remove contaminated clothing; flush skin thoroughly with soap and water for at least 15 minutes. If irritation or allergic reaction occurs, seek medical attention.			
Inhalation (Breathing):	If irritation of nose or throat develops, move to fresh air. If irritation persists, seek medical attention.			
Ingestion (Swallowing):	No emergency medical treatment necessary			
2 Most important symptoms and effects, both acute and delayed				

Refer to Section 11 for more information.

4.3 Indication of immediate medical attention and special treatment needed.

No information available.

## 5. Firefighting Measures

4.

## 5.1 Extinguishing media:

Water fog or fine spray, dry chemical carbon dioxide, or foam.

## 5.2 Special hazards arising from the substance or mixture

Dense smoke is emitted when burned without sufficient oxygen.

#### Hazardous decomposition and by-products:

CO<sub>2</sub>, CO, phenolics. May contain other combustion products of varying composition which may be toxic or irritating.

## 5.3 Advice for firefighters

Wear full protective clothing, including self-contained, positive pressure or pressure-demand breathing apparatus. Sealed container can build up pressure when exposed to high heat. Water fog may be used to cool fire exposed container to prevent pressure build-up and possible auto-ignition or rupture. Direct water stream may spread fire.

#### 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate area. Use appropriate safety equipment.

## 6.2 Environmental precautions:

Avoid release to the environment. Prevent spill from entering drainage/sewer systems, waterways, basements or confined areas. Refer to Section 12 for more information.

## 6.3 Methods materials for containment and cleaning up:

Absorb spill with sand or absorbents. Residual resin may be removed using steam or hot soapy water. Collect as much of the spilled material as possible using non-sparking tools and transfer to a container. Seal the container. Residual material can be removed with solvent.

### 6.4 Reference to other sections:

Refer to Sections 4, 5, 8, and 13 for more information.

### 7. Handling and Storage

## 7.1 Precautions for safe handling

Avoid personal contact with the product. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. Wash thoroughly after handling. Wash contaminated clothing before reuse. For industrial or professional use only.

#### 7.2 Conditions for safe storage, including incompatibilities

Keep containers cool, dry, and away from sources of ignition. Keep containers and cartridges capped and sealed. Protect from freezing. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

#### 7.3 Specific end uses

See technical data sheet on this product for further information.

## 8. Exposure Controls / Personal Protection

#### 8.1 Control parameters

#### **Exposure limits and recommendations:**

Contains no components with established Occupational Exposure Limit (OEL) values. A Derived No Effect Level (DNEL) of 12.25 mg/m<sup>3</sup> has been established for Acute Inhalation.

#### 8.2 Exposure controls

#### **Respiratory protection:**

Normal ventilation is adequate. If exposure exceeds recommended limits, respirator protection is recommended. Wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced. Use a respirator or gas mask with cartridges for organic vapors (NIOSH or CE approved) with particulate pre-filter, P100 or AP2.

#### **Protective gloves:**

The use of chemically resistant gloves is recommended to prevent skin contact. Suitable materials include nitrile (included in most kits), neoprene, ethyl vinyl alcohol (EVAL), PVC. Use a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to EN 374). NOTE: The selection of specific glove for the application should account for other chemicals in the environment, physical requirements and potential user reaction to the glove material.

#### Eye protection:

Safety glasses recommended.

#### Other protective equipment:

Use protective cream if skin contact is likely. Remove and wash contaminated clothing before reuse. Discard contaminated shoes.

## 9. Physical and Chemical

## 9.1 Information of basic physical and chemical properties

Appearance:	Dark gray or black paste.
Odor threshold:	Not available
pH:	Does not apply
Freezing point:	Not available
Boiling point:	Not available

Flash point:	>200°C (PMCC)
Evaporation rate:	Not available
Flammability (solid, gas): Upper/lower flammability or	Not available
explosive limits:	Not available
Vapor pressure:	Not available
Vapor density (Air = 1):	>1
Specific gravity (H <sub>2</sub> O = 1):	1,25 @ 25°C
Solubility in water:	Not available
Partition coefficient: n-	
octanol/water:	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	Not available
9.2 Other Information	
Volatiles (Weight %):	0%
VOC Content:	0 g/l

## 10. Stability and Reactivity

## 10.1 Reactivity:

No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability:

Stable

## 10.3 Possibility of hazardous reactions:

Hazardous reactions will not occur under normal transport or storage conditions.

## 10.4 Conditions to avoid:

Avoid high temperatures above 300 °C. Decomposition can occur above 350 °C. Generation of gas during decomposition can cause pressure to build in closed systems.

## 10.5 Incompatible materials :

Strong acids or bases (especially primary or secondary aliphatic amines), strong oxidizing agents.

## **10.6 Hazardous decomposition products:**

CO<sub>2</sub>, CO, phenolics and other organic substances may be formed during combustion or elevated temperature degradation.

## **11. Toxicological Information**

## 11.1 Information on toxicological effects:

## Acute toxicity

## Eye contact:

Direct eye contact with material or vapors may cause eye irritation.

## Skin contact:

This product has moderate skin irritation potential. Persons with pre-existing skin disorders may be more susceptible to skin irritation from this material. Prolonged or repeated skin exposure may cause skin sensitization.

## Irritation and Sensitization Potential:

May cause allergic skin reaction.

#### Inhalation (Breathing):

Low vapor pressure makes this route of exposure unlikely.

Ingestion:			
Ingestion may cause irritation of the gastrointestinal tract.			
Toxicity to Animals:			
Bisphenol A Dig	Jycidyl Ether: LD₅₀ (oral rat) >15000 mg/kg		
	LD <sub>50</sub> (dermal rabbit) 23000 mg/kg		
Aspiration Hazard:			
No aspiration hazard expected			
Chronic Exposure:			
Reproductive Toxicity: Mutagenicity:	Not available. Resins based on diglycidyl ether of bisphenol A have proved to be inactive when tested by in-vivo mutagenicity assays. These resins have shown activity in in-vitro microbial mutagenicity screening and have produced chromosomal aberrations in cultured rat-liver cells. The significance of these tests to humans is unknown.		
Teratogenicity: Specific Target Organ Toxicity (STOT)	Not available.		
Toxicologically Synergistic Products: Carcinogenic Status:	Not available. This substance has not been identified as a carcinogen or probable carcinogen by NTP, IARC, or OSHA, nor have any of its components.		

## 12. Ecological Information

1	2.	1	Т	0	xi	ci	t٧	/:
-			-	-		-	-,	-

Aquatic Toxicity:May be toxic to aquatic organisms.Bisphenol A DiglycidylLC50 (96 hr): 2 mg/l Oncorhynchus mykiss (rainbow trout)
Ether: Semi-static test
Bisphenol A Diglycidyl EC <sub>50</sub> (48 hr): 1.8 mg/l Daphnia magna (invertebrate)
Ether: Static test
Bisphenol A Diglycidyl ErC <sub>50</sub> (72 hr): 11 mg/l Fresh water algae (aquatic plants)
Ether: Static test
Chronic Toxicity Value:
Bisphenol A Diglycidyl Daphnia magna (invertebrate), 21 d, number of offspring, NOEC: 0.3 mg/ Ether: Semi-static test
<b>12.2 Persistence and</b> Based on stringent OECD test guidelines, this material cannot be
<b>degradability:</b> considered readily biodegradable. Biodegradability depends on environmental conditions.
Bisphenol A Diglycidyl OECD Biodegradation Test 302B
Ether: 12% Biodegradation, 28 d exposure
Bisphenol A Diglycidyl Theoretical Oxygen Demand
Ether: 2,35 mg/mg
12.3 Bioaccumulation
potential: Bioconcentration potential is moderate.
<b>12.4 Mobility in soil:</b> Potential for mobility in soil is low
12.5 Results of PBT and
vPvB Assessment: This product is not, nor does it contain a substance that is a PBT or vPvB
12.6 Other adverse effects: None known.

## 13. Disposal Considerations

Do not dump into sewer, on ground or into any body of water. Dispose of product in accordance with National and Local Regulations.

### 14. Transport Information

DOT:	Not Regulated
UN Number:	3082
UN Proper Shipping Name:	Environmentally hazardous substance, liquid, N.O.S. (Bisphenol A)
Class and Subsidiary Risk:	9
Packing Group:	III
ICAO/IATA-DGR:	Not Regulated (See Special Provision A197)
IMDG:	Not Regulated (See IMDG Code 2.10.2.7)
ADR/RID:	9
Other information	For surface shipments within the United States: Not regulated.

## 15. Regulatory Information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **European Union**

Product complies with the communication requirements of REACH Regulation (EC) No. 1907/2006. All components are listed on the European Inventory of Existing Chemical Substances (EINECS). Contains no substance on the REACH candidate list  $\geq$  0.1% SCL. Does not contain notified substances from the ELINCS List, Directive 92/32/EEC. Contains no REACH substances with Annex XVII restrictions.

## Australia

All components are listed on the AICS. Product is classified as hazardous according to criteria of NOHSC Australia.

## **USA Federal and State**

All components are listed on the TSCA inventory.

## Canada

All components are listed on the DSL inventory.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

## 15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for the mixture by the supplier.

## 16. Other Information

## Abbreviations and acronyms:

 $\begin{array}{l} \text{OSHA} = \text{Occupational Safety and Health Administration} \\ \text{CLP} = \text{Classification, Labeling and Packaging Regulation} \\ \text{STOT} = \text{Specific Target Organ Toxicity} \\ \text{LD}_{50} = \text{Median Lethal Dose} \\ \text{DNEL} = \text{Derived No Effect Level} \\ \text{ACGIH} = \text{American Conference of Governmental Industrial Hygienists} \\ \text{TSCA} = \text{Toxic Substances Control Act (USA)} \\ \text{DSL} = \text{Domestic Substances List (Canada)} \\ \text{AICS} = \text{Australian Inventory of Chemical Substances} \\ \end{array}$ 

## Mixture classification according to Regulation (EC) No 1272/2008:

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

## **Classification Procedure**

Calculation method. Calculation method. Calculation method.

<b>Revision Number:</b>	6 EU
Supersedes:	2 January 2015
Other:	Not Applicable
Indication of Changes:	Reviewed with minor format updates.
_	Written in accordance with the provisions of REACH Annex II (EU No 453/2010) and
	Australia WHS Regulation (2011). (GHS format)

The information and recommendations contained herein are believed to be reliable. However, the supplier makes no warranties, express or implied, concerning the use of this product. The buyer must determine conditions of safe usage and assumes all risk and liability in handling this product.