# UPR Pole Repair<sup>™</sup> Compound Type UPR-PR Kit

Product ID numbers: UPR-PRKIT12, UPR-PRKIT3, UPR-PRXXX (where XXX is the package code.)

Date Compiled: 24 August 2017



Supplier/Manufacturer:

American Polywater Corporation 11222 - 60th Street North Stillwater, MN 55082 USA Tel: 1-651-430-2270 Email: sds@polywater.com Polywater Europe BV Zuidhaven 9-11 Unit B2 4761 CR Zevenbergen Netherlands Tel: +31 (0)10 2330578 Email: sds@ polywater.com

# **Emergency telephone numbers**

INFOTRAC: 1-800-535-5053 (USA) 1-352-323-3500 (INT'L)

This product is a kit or a multi-part product with independent components. An SDS for each component is included. Do not separate SDSs.

Contains

UPR-PR-A PoleRepair Part A SDS UPR-PR-B PoleRepair Part B SDS

SDSs are classified according to EU Regulation (EC) No 1272/2008 and Australia WHS Regulation (2011).

Each Kit may or may not contain all SDS components

The information and recommendations contained herein are believed to be reliable. However, the supplier makes no warranties, express or implied, concerning the use of this product. The buyer must determine conditions of safe usage and assumes all risk and liability in handling this product.

# SAFETY DATA SHEET

#### 1. Identification of the substance/mixture and of the company

1.1 Product identifier

# Product Name: UPR Pole Repair<sup>™</sup> Compound Type UPR-PR (Part A) 10823A

Product ID numbers: UPR-PRKIT12, UPR-PRKIT3

## 1.2 Relevant identified uses of the mixture and uses advised against

Identified uses: Sealant, wood fill and pole repair. Part A of two-part material supplied in a cartridge.

List of advices against: Not for consumer use. Industrial use only. Do not spray or aerosolize.

#### 1.3 Details of the supplier of the safety data sheet

# Supplier/Manufacturer/Distributor:

Polywater Europe BV	American Polywater Corporation	Local Contact Info
Zuidhaven 9-11 Unit B2	11222 - 60th Street North	
4761 CR Zevenbergen	P.O. Box 53	
Netherlands	Stillwater, MN 55082 USA	
Tel: +31 (0)10 2330578	Tel: +1-651-430-2270	
Email: sds@ polywater.com	Email: sds@polywater.com	

#### 1.4 Emergency telephone numbers

	Europe	USA
131 (0) 10 2330310 11 031 430 2210	(supplier –office hours only) +31 (0) 10 2330578	(supplier –office hours only) +1-651-430-2270

INFOTRAC 1-800-535-5053 (USA) +1-352-323-3500 (International)

National Poison Information Centre (NVIC): +31(0)30 274 8888 (Professional use for acute poisoning only, Netherlands.) Insert local poison control information here.

#### 2. Hazards Identification

# 2.1 Classification of the substance or mixture

Classification according to EU Regulation (EC) No 1272/2008 and Australia WHS Regulation (2011).

Acute Toxicity, Cat 4, H332 Skin Irritation, Cat 2; H315 Eye Irritation, Cat 2; H319 Respiratory Sensitization, Cat 1; H334 Skin Sensitization, Cat 1; H317 Carcinogenicity, Cat 2; H351 Target Organ Toxicity (single exposure), Cat 3; H335 Target Organ Toxicity (repeated exposure), Cat 2; H373

# 2.2 Label elements

Contains:

Polymeric diphenylmethane diisocyanate; 4,4'-Diphenylmethane diisocyanate (MDI)

Pictograms: Signal word:	Danger
Hazard Statements:	
H332	Harmful if inhaled.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351	Suspected of causing cancer.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated inhalative exposure.
Supplemental Hazar	d Statement
EUH304	Contains isocyanates. May produce an allergic reaction.
Precautionary State	ments:
P260	Do not breathe dust, vapor, or spray.
P284	In case of inadequate ventilation wear respiratory protection.
P280	Wear protective gloves, protective clothing and eye protection.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice.
Notes:	4,4'-methylenediphenyl diisocyanate (MDI) has not been designated as a carcinogen by IARC, NTP, ACGIH, OSHA, or the United States EPA. There are inadequate human carcinogenicity data, and only limited animal data. Additionally, the IARC Working Group noted that tumorigenic effects observed in animals may be attributed to non-specific particle effect (IARC monograph 71). Monomeric MDI (CAS # 101-68-8) has an EU harmonized classification (Annex VI to CLP) including Carc 2 (H351), but we do not expect this product to pose a carcinogenic hazard if users avoid inhalation of vapor above exposure limits.
2.3 Other hazards:	<b>Information according to XVII. 56 REACH</b> Persons already sensitized to diisocyanates may develop allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used. Pregnant women should absolutely avoid inhalation and skin contact.

# 3. Composition/Information on Ingredients

<u>Component</u> Polymeric diphenylmethane diisocyanate	<u>CAS #</u> 9016-87-9	<u>EC #</u>	<u>Wt. %</u> 30 - 60	<u>CLP Classification</u> Acute Tox 4 (H332), Skin Irrit 2 (H315), Eye Irrit 2 (H319), Resp Sens1 (H334), STOT SE 3 (H335), STOT RE 2 (H373)
4,4'-Diphenylmethane diisocyanate (MDI)	101-68-8	202-966-0	30 - 60	Acute Tox 4 (H332), Skin Sens 1 (H317), Skin Irrit 2 (H315), Eye Irrit 2 (H319), Resp Sens1

#### (H334), STOT SE 3 (H335), Carc 2 (H351), STOT RE 2 (H373)

#### 4. First Aid Measures

# 4.1 Description of first aid measures

Eye Contact:	Immediately flush eyes with large quantity of water for 15 minutes. Seek medical attention.
Skin Contact:	Remove contaminated clothing; flush skin thoroughly with soap and water. If irritation occurs, seek medical attention.
Inhalation (Breathing):	If irritation of nose or throat develops, move to fresh air. If irritation persists, seek medical attention.
Ingestion (Swallowing):	If swallowed, rinse mouth and drink plenty of water. Do not induce vomiting. If patient is conscious, wash out mouth with water. Never give anything by mouth to an unconscious person. Do not leave victim unattended. Seek medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause allergic skin and respiratory reaction. Refer to Section 11 for more information.

**4.3 Indication of immediate medical attention and special treatment needed.** No information available.

#### 5. Firefighting Measures

#### 5.1 Extinguishing media:

Water Fog, Carbon Dioxide, Dry Chemical or Foam.

## 5.2 Special hazards arising from the substance or mixture

## Hazardous decomposition and by-products:

Carbon monoxide, hydrogen cyanide, nitrogen oxides, aromatic isocyanates, gases/vapors.

# 5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water spray may be used to cool fire exposed container to prevent pressure build-up and possible auto-ignition or rupture.

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear full protective clothing, including appropriate respiratory protection.

# 6.2 Environmental precautions:

Prevent from entering waterways.

## 6.3 Methods materials for containment and cleaning up:

Spills expected to be small quantities. Collect excess material with absorbents or wipe with dry towels. Wash with a dilute ammonia solution.

# 6.4 Reference to other sections:

Refer to Sections 4, 5, 8, and 13 for more information.

# 7. Handling and Storage

#### 7.1 Precautions for safe handling

Use and store this product with adequate ventilation. Avoid inhalation of vapors and personal contact with the product. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. Wash thoroughly after handling. Wash contaminated clothing before reuse. For industrial or professional use only.

# 7.2 Conditions for safe storage, including incompatibilities

Keep containers cool, dry, and away from sources of ignition. Keep cartridges capped and sealed. Protect

# **Product Name:** UPR Pole Repair<sup>™</sup> Compound Type PR (Part A)

from freezing. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

# 7.3 Specific end uses

See technical data sheet on this product for further information.

# 8. Exposure Controls / Personal Protection

# 8.1 Control parameters

# Exposure limits and recommendations:

		Long-term exposure limit	Short-term exposure limit –
Country/Source	Component	8 hr TWA	15 min
ECHA - DNEL	4,4'-Diphenylmethane diisocyanate (MDI)	0,05 mg/m³	
U.K. EH 40 WEL	All Isocyanates as NCO	0,02 mg/ m³	0,07 mg/ m <sup>3</sup>
Germany – AGS, DFG	4,4'-Diphenylmethane diisocyanate (MDI)	0,05 mg/ m³	0,05 mg/ m <sup>3</sup>
Germany – AGS, DFG	Polymeric diphenylmethane diisocyanate	0,05 mg/ m³	0,05 mg/ m <sup>3</sup>
France	4,4'-Diphenylmethane diisocyanate (MDI)	0,01 ppm	0,02 ppm
Spain	4,4'-Diphenylmethane diisocyanate (MDI)	0,052 mg/ m³	
Austria	4,4'-Diphenylmethane diisocyanate (MDI)	0,005 ppm	0,01 ppm
Belgium	4,4'-Diphenylmethane diisocyanate (MDI)	0,005 ppm	
Denmark	4,4'-Diphenylmethane diisocyanate (MDI)	0,005 ppm	0,01 ppm
Hungary	4,4'-Diphenylmethane diisocyanate (MDI)	0,05 mg/ m³	0,05 mg/ m <sup>3</sup>
Ireland	All Isocyanates as NCO	0,02 mg/ m³	0,07 mg/ m <sup>3</sup>
Poland	4,4'-Diphenylmethane diisocyanate (MDI)	0,05 mg/ m³	0,2 mg/ m <sup>3</sup>
Sweden	4,4'-Diphenylmethane diisocyanate (MDI)	0,002 ppm	0,005 ppm
Australia OEL	All Isocyanates as NCO	0.02 mg/m <sup>3</sup>	0.07 mg/m <sup>3</sup>

BiologicaL Limit Values (BLV): None established for this material or its components

# 8.2 Exposure controls

# **Respiratory protection:**

Use with adequate ventilation to keep vapor concentration below acceptable limits. Product dispensed through a static mixer and used as directed emits less than 0.001 ppm MDI vapor as tested by OSHA 47. Ventilation is not required for standard use. If ventilation is not adequate, use approved chemical/mechanical filters designed to remove a combination of particulate and organic vapors in open and restricted areas (combination filter: ABEKP). Use approved airline type respirators or hoods in confined areas.

# Hand protection (protective gloves):

Gloves made from Nitrile rubber (Material thickness >0,1 mm for short time contact) are recommended. Gloves should be replaced after each short time contact or contamination. In the case of longer contact protective gloves made from nitrile rubber are recommended according to EN 374. Material thickness > 0,4 mm Perforation time > 480 minutes.

# Eye protection:

Goggles which can be tightly sealed.

# Other protective equipment:

Wear suitable protective clothing. Chemical resistant clothing made from nitrile rubber impregnated fabric is recommended. Remove and wash contaminated clothing before reuse. Discard contaminated shoes. Use protective cream if skin contact is likely.

# 9. Physical and Chemical

# 9.1 Information of basic physical and chemical properties

Appearance:	Brown liquid
Odor threshold:	Faint, aromatic odor
pH:	Does not apply

Freezing point:	3°C
Boiling point:	200°C
Flash point:	220°C (open cup)
Evaporation rate:	Not available
Flammability (solid, gas): Upper/lower flammability or	Does not apply
explosive limits:	Not available
Vapor pressure:	0,00016 mm Hg @ 20°C
Vapor density (Air = 1):	1,22 g/cm <sup>3</sup>
Specific gravity (H <sub>2</sub> O = 1):	1,22 @ 25°C
Solubility in water:	Reacts
Partition coefficient: n-	
octanol/water:	Not available
Auto-ignition temperature:	> 250°C
Decomposition temperature:	Not available
Viscosity:	200 mPas @ 25°C
.2 Other Information	
Volatiles (Weight %):	0%
VOC Content:	0 g/l

# 10. Stability and Reactivity

# 10.1 Reactivity:

9

Reacts with water, reacts with substances which contain active hydrogen.

## 10.2 Chemical stability:

Stable

# 10.3 Possibility of hazardous reactions:

Hazardous reactions will not occur under normal transport or storage conditions.

## 10.4 Conditions to avoid:

Avoid freezing, high temperatures, flame, high humidity and water contamination.

# 10.5 Incompatible materials :

Water, alcohols, amines, acids, alkalis, metal compounds.

## 10.6 Hazardous decomposition products:

Carbon monoxide, hydrogen cyanide, nitrogen oxides, aromatic isocyanates, gases/vapors.

# 11. Toxicological Information

# 11.1 Information on toxicological effects:

#### Acute toxicity

#### Eye contact:

Direct eye contact with material or vapors may cause eye irritation.

#### Skin contact:

Persons with pre-existing skin disorders may be more susceptible to skin irritation from this material. Allergic skin reaction symptoms include redness, swelling, blistering and itching.

#### Irritation and Sensitization Potential:

Product may be irritating to skin and eyes.

#### Inhalation (Breathing):

Material has low vapor pressure and inhalation hazard is expected to be minimal. Vapor exposure may cause irritation of the nose and throat. Symptoms may include burning sensation, coughing and shortness of breath, or other signs of respiratory distress. May cause allergic respiratory reaction below exposure guideline in

**Product Name:** UPR Pole Repair<sup>™</sup> Compound Type PR (Part A)

susceptible individuals.

## Ingestion:

Ingestion may cause irritation of the gastrointestinal tract.

# **Toxicity to Animals:**

4,4'-Diphenylmethane diisocyanate (MDI):	LD <sub>50</sub> (oral rat) >2000 mg/kg
	LD <sub>50</sub> (dermal rabbit) >9400 mg/kg
	LC <sub>50</sub> (inhl rat) 2,0 mg/L, (OECD Guideline 403)

# Aspiration Hazard:

No aspiration hazard expected.

# **Chronic Exposure:**

Reproductive Toxicity:	Not available.
Mutagenicity:	Not available.
Teratogenicity: Specific Target Organ	Not available.
Toxicity (STOT)	Contains material which causes damage to the upper respiratory tract.
Toxicologically Synergistic Products:	Not available.
Carcinogenic Status:	4,4'-methylenediphenyl diisocyanate (MDI) has not been designated as a carcinogen by IARC, NTP, ACGIH, OSHA, or the United States EPA. There are inadequate human carcinogenicity data, and only limited animal data. Additionally, the IARC Working Group noted that tumorigenic effects observed in animals may be attributed to non-specific particle effect (IARC monograph 71). Monomeric MDI (CAS # 101-68-8) has an EU harmonized classification (Annex VI to CLP) including Carc 2 (H351), but we do not expect this product to pose a carcinogenic hazard if users avoid inhalation of vapor above exposure limits.
Respiratory/Skin Sensitizatio	n

# **Respiratory/Skin Sensitization**

May cause sensitization by inhalation and skin contact..

# **12. Ecological Information**

# 12.1 Toxicity:

Aquatic Toxicity:	
4,4'-Diphenylmethane diisocyanate (MDI):	LC <sub>50</sub> (96 hr): > 1000 mg/l Brachydanio rerio (fish) OECD Guideline 203 static
4,4'-Diphenylmethane diisocyanate (MDI):	EC <sub>50</sub> (24 hr): > 1000 mg/l Daphnia magna (invertebrate) OECD Guideline 202, part 1 static
4,4'-Diphenylmethane diisocyanate (MDI):	EC <sub>50</sub> (72 hr): 1640 mg/l Green algae (aquatic plants) OECD Guideline 201 static
12.2 Persistence and degradability:	Elimination information: <10% BOD of the ThOD (28d) (OECD Guideline 302 C, aerobic, activated sludge) Under test conditions, poorly biodegradable.
12.3 Bioaccumulation potential:	Accumulation in organisms is not to be expected.
12.4 Mobility in soil:	Adsorption to solid soil phase is not expected
12.5 Results of PBT and vPvB Assessment:	This product is not, nor does it contain a substance that is a PBT or vPvB.
12.6 Other adverse effects:	None known.

# 13. Disposal Considerations

# 13.1 Waste Disposal

Incinerate or dispose of in a licensed facility. Do not discharge substance/product into sewer system. Dispose of waste and residue in accordance with local authority requirements.

Waste code: 08 05 01 Waste isocyanates

#### 14. Transport Information

UN Number:	Not Listed	
UN Proper shipping name:	Not Applicable	
Transport hazard class(es):	Not Applicable	
Packing group:	Not Applicable	
Environmental hazards:	None known	
Special precautions:	None known	
TDG:	Not Regulated	
ICAO/IATA-DGR:	Not Regulated	
IMDG:	Not Regulated	
ADR/RID:	Not Regulated	

# 15. Regulatory Information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Product complies with the communication requirements of REACH Regulation (EC) No. 1907/2006. All components are listed on the European Inventory of Existing Chemical Substances (EINECS). Contains no substance on the REACH candidate list  $\geq$  0.1% SCL. Does not contain notified substances from the ELINCS List, Directive 92/32/EEC. Meets labeling and kitting requirements found in Entry 56 of Annex XVII.

#### Australia

All components are listed on the AICS.

Contains 4,4'-Diphenylmethane diisocyanate (MDI) listed on the National Pollutant Inventory (NPI) Hazardous according to criteria of NOHSC Australia.

#### **15.2 Chemical Safety Assessment**

No chemical safety assessment has been carried out for the mixture by the supplier.

#### 16. Other Information

#### Abbreviations and acronyms:

CLP = Classification, Labeling and Packaging Regulation STOT = Specific Target Organ Toxicity LD<sub>50</sub> = Median Lethal Dose DNEL = Derived No Effect Level ACGIH = American Conference of Governmental Industrial Hygienists AICS = Australian Inventory of Chemical Substances OSHA = Occupational Safety and Health Administration

# Mixture classification according to Regulation (EC) No 1272/2008:

- H332 Harmful if inhaled.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H351 Suspected of causing cancer.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated inhalative exposure.

## **Classification Procedure**

Calculation method. Calculation method. Calculation method. Calculation method. Calculation method. Calculation method. Calculation method.

Revision Date: Revision Number:	9 August 2017 8 EU
Supersedes:	4 February 2016
Other:	NA
Indication of Changes:	Reviewed, minor formatting changes.
	Written in accordance with the provisions of REACH Annex II (EU No 453/2010) and
	Australia WHS Regulation (2011). (GHS format)

The information and recommendations contained herein are believed to be reliable. However, the supplier makes no warranties, express or implied, concerning the use of this product. The buyer must determine conditions of safe usage and assumes all risk and liability in handling this product.

# SAFETY DATA SHEET

# 1. Identification of the substance/mixture and of the company

#### **1.1 Product identifier**

# Product Name: UPR Pole Repair<sup>™</sup> Compound Type UPR-PR (Part B) 10823B

Product ID numbers: UPR-PRKIT12, UPR-PRKIT3

1.2 Relevant identified uses of the mixture and uses advised against

Identified uses: Sealant, wood fill and pole repair, two-part material

List of advices against: Not applicable.

# 1.3 Details of the supplier of the safety data sheet

#### Supplier/Manufacturer:

American Polywater Corporation 11222 - 60th Street North Stillwater, MN 55082 USA Tel: 1-651-430-2270 Email: sds@polywater.com Polywater Europe BV Zuidhaven 9-11 Unit B2 4761 CR Zevenbergen Netherlands Tel: +31 (0)10 2330578 Email: sds@ polywater.com

#### **1.4 Emergency telephone numbers**

INFOTRAC: 1-800-535-5053 (USA) 1-352-323-3500 (INT'L)

# 2. Hazards Identification

# 2.1 Classification of the substance or mixture

Classification according to OSHA 29 CFR 1910.1200 and Regulation (EC) No 1272/2008. This product contains no reportable hazardous components under OSHA 29 CFR 1910.1200 and European Regulation (EC) No 1272/2008.

# 2.2 Label elements

Pictograms:	None required.
Signal word:	None required.
Hazard Statements:	None required.
Precautionary Statements:	None required.
2.3 Other hazards:	No information available.

# 3. Composition/Information on Ingredients

<u>Component</u>	CAS #	<u>EC #</u>	<u>Wt. %</u>	<b>GHS/CLP Classification</b>
Polyether polyol mixture	Proprietary		90 - 100	
Tertiary amine compounds	Proprietary		0.1 - 1	

# 4. First Aid Measures

# 4.1 Description of first aid measures

Eye Contact: Immediately flush eyes with large quantity of water for 15 minutes. Seek medical attention.

**Skin Contact:** Remove contaminated clothing; flush skin thoroughly with soap and water. If irritation occurs, seek medical attention.

# Inhalation (Breathing): If irritation of nose or throat develops, move to fresh air. If irritation persists, seek medical attention.

**Ingestion (Swallowing):** If swallowed, get medical attention. Do not induce vomiting. If patient is conscious, wash out mouth with water. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

**4.2 Most important symptoms and effects, both acute and delayed** No information available.

4.3 Indication of immediate medical attention and special treatment needed.

No information available.

# 5. Firefighting Measures

# 5.1 Extinguishing media:

Water Fog, Carbon Dioxide, Dry Chemical or Foam.

# 5.2 Special hazards arising from the substance or mixture

# Hazardous decomposition and by-products:

Carbon monoxide, carbon dioxide, and nitrous oxides.

# 5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water spray may be used to cool fire exposed container to prevent pressure build-up and possible auto-ignition or rupture.

# 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures:

Wear full protective clothing, including appropriate respiratory protection.

#### 6.2 Environmental precautions:

Prevent from entering waterways.

# 6.3 Methods materials for containment and cleaning up:

Spills expected to be small quantities. Collect excess material with absorbents or wipe with dry towels. Wash with a dilute ammonia solution.

# 6.4 Reference to other sections:

Refer to Sections 4, 5, 8, and 13 for more information.

# 7. Handling and Storage

# 7.1 Precautions for safe handling

Use and store this product with adequate ventilation. Avoid inhalation of vapors and personal contact with the product. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. Wash thoroughly after handling. Wash contaminated clothing before reuse. For industrial or professional use only.

# 7.2 Conditions for safe storage, including incompatibilities

Keep containers dry, and away from excessive heat. Keep cartridges capped and sealed. Protect from freezing. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

# 7.3 Specific end uses

See technical data sheet on this product for further information.

# 8. Exposure Controls / Personal Protection

# 8.1 Control parameters

# **Exposure limits and recommendations:**

Contains no components with established Occupational Exposure Limit (OEL) values.

# 8.2 Exposure controls

# **Respiratory protection:**

Use with adequate ventilation to keep vapor concentration below acceptable limits.

# Protective gloves:

The use of chemically resistant gloves is recommended to prevent skin contact. Suitable materials include neoprene, butyl rubber, Viton, Buna N, and chlorinated polyethylene.

# Eye protection:

Safety glasses recommended.

# Other protective equipment:

Use protective cream if skin contact is likely. Remove and wash contaminated clothing before reuse. Discard contaminated shoes.

# 9. Physical and Chemical

# 9.1 Information of basic physical and chemical properties

Appearance:	Clear to light amber liquid
Odor threshold:	Mild amine odor
pH:	Not available
Freezing point:	Not available
Boiling point:	Not available
Flash point:	>260°F / >127°C (PMCC)
Evaporation rate:	Not available
Flammability (solid, gas):	Does not apply
Upper/lower flammability or	
explosive limits:	Not available
Vapor pressure:	< 0.1 mmHg
Vapor density (Air = 1):	>1
Specific gravity (H <sub>2</sub> O = 1):	1.05 @ 25°C
Solubility in water:	Partially soluble
Partition coefficient: n-	
octanol/water:	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	700 cps @ 25°C / 77°F
9.2 Other Information	
	00/
Volatiles (Weight %):	0%
VOC Content:	0 g/l

# 10. Stability and Reactivity

# 10.1 Reactivity:

No dangerous reaction known under conditions of normal use.

# 10.2 Chemical stability:

Stable

# 10.3 Possibility of hazardous reactions:

Hazardous reactions will not occur under normal transport or storage conditions.

# 10.4 Conditions to avoid:

Avoid freezing, high temperatures, and moisture.

# 10.5 Incompatible materials :

Isocyanates, strong oxidizing agents and strong bases.

# 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, and nitrous oxides.

# 11. Toxicological Information

Eye contact:	
Direct eye contact with mater	rial or vapors may cause eye irritation.
Skin contact:	
May cause skin irritation	
Irritation and Sensitization	Potential:
Not considered a skin sensiti	zer.
Inhalation (Breathing):	
May cause respiratory irritation	on.
Ingestion:	
Harmful if swallowed.	
Toxicity to Animals:	
No information available.	
Aspiration Hazard:	
No aspiration hazard expected	ed.
hronic Exposure:	
Reproductive Toxicity:	Not available.
Mutagenicity:	Not available.
Teratogenicity: Specific Target Organ	Not available.
Toxicity (STOT)	Not available.
Toxicologically Synergistic Products:	Not available.
Carcinogenic Status:	This substance has not been identified as a carcinogen or probable carcinogen by NTP, IARC, or OSHA, nor have any of its components.

12.1 Aquatic Toxicity:	No information available.
12.2 Persistence and degradability:	No information available.
12.3 Bioaccumulation potential:	No information available.
12.4 Mobility in soil:	No information available.
12.5 Results of PBT and vPvB Assessment:	This product is not, nor does it contain a substance that is a PBT or vPvB.
12.6 Other adverse effects:	None known.

#### 13. Disposal Considerations

Dispose of product in accordance with National and Local Regulations.

# 14. Transport Information

UN Number:Not ListedUN Proper shipping name:Not ApplicableTransport hazard class(es):Not Applicable

Packing group:	Not Applicable
Environmental hazards:	None known
Special precautions:	None known
TDG:	Not Regulated
ICAO/IATA-DGR:	Not Regulated
IMDG:	Not Regulated
ADR/RID:	Not Regulated

# 15. Regulatory Information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **USA Federal and State**

All components are listed on the TSCA inventory.

Hazard Categories for Section 311/312 Rep		Acute No	<u>Chronic</u> No	<u>Fire</u> No	<u>Pressure</u> No	<u>Reactive</u> No	
<u>Components</u> The components of U	PR Pole Rep	air - Part B a	Hazardous S		RQ EHS T		
NFPA Ratings:	Health: Fire:	1 1					

Reactivity: 0

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel during spill, fire or similar emergencies. Hazard ratings are based on physical and toxic properties of combustion or decomposition.

# **European Union**

Product complies with the communication requirements of REACH Regulation (EC) No. 1907/2006. All components are listed on the European Inventory of Existing Chemical Substances (EINECS). Contains no substance on the REACH candidate list  $\geq$  0.1% SCL. Does not contain notified substances from the ELINCS List, Directive 92/32/EEC. Contains no REACH substances with Annex XVII restrictions.

# Canada

All components are listed on the DSL inventory. This product has been classified according to the hazard criteria of the CPR.

# Australia

All components are listed on the AICS.

# **15.2 Chemical Safety Assessment**

No chemical safety assessment has been carried out for the mixture by the supplier.

# 16. Other Information

# Abbreviations and acronyms:

OSHA = Occupational Safety and Health Administration CLP = Classification, Labeling and Packaging Regulation STOT = Specific Target Organ Toxicity LD<sub>50</sub> = Median Lethal Dose DNEL = Derived No Effect Level ACGIH = American Conference of Governmental Industrial Hygienists TSCA = Toxic Substances Control Act (USA) DSL = Domestic Substances List (Canada) AICS = Australian Inventory of Chemical Substances **Product Name:** UPR Pole Repair<sup>™</sup> Compound Type UPR-PR (Part B)

Revision Date:	August 10, 2017
Revision Number:	6
Supersedes:	July 22, 2015
Other:	Not Applicable
Indication of Changes:	Reviewed, no changed. Written in accordance with the provisions of OSHA 1910.1200 App D and REACH Annex II (EU No 453/2010). (GHS format)

The information and recommendations contained herein are believed to be reliable. However, the supplier makes no warranties, express or implied, concerning the use of this product. The buyer must determine conditions of safe usage and assumes all risk and liability in handling this product.