SAFETY DATA SHEET - SET

ZIP ZipSeal™ Duct Block Kit

Product ID numbers: ZIP-50KIT1, ZIP-XXX (where XXX is the package code.)

Date Compiled: 24 August 2017



Supplier/Manufacturer:

American Polywater Corporation

11222 - 60th Street North Stillwater, MN 55082 USA Tel: 1-651-430-2270

Email: sds@polywater.com

Polywater Europe BV

Zuidhaven 9-11 Unit B2 4761 CR Zevenbergen Netherlands

Tel: +31 (0)10 2330578

Email: sds@ polywater.com

Emergency telephone numbers

INFOTRAC: 1-800-535-5053 (USA) 1-352-323-3500 (INT'L)

This product is a kit or a multi-part product with independent components. An SDS for each component is included. Do not separate SDSs.

Contains

ZIP-A ZipSeal[™] Duct Block Part A SDS ZIP-B ZipSeal[™] Duct Block Part B SDS

SDSs are classified according to EU Regulation (EC) No 1272/2008 and Australia WHS Regulation (2011).

Each Kit may or may not contain all SDS components

The information and recommendations contained herein are believed to be reliable. However, the supplier makes no warranties, express or implied, concerning the use of this product. The buyer must determine conditions of safe usage and assumes all risk and liability in handling this product.

Revision Date: 9 August 2017 Revision Number: rev 3 supersedes 2

SAFETY DATA SHEET

1. Identification of the substance/mixture and of the company

1.1 Product identifier

Product Name: ZipSeal™ Duct Seal ZS (Part A)

Product ID numbers: ZIP-50KIT1, ZIP-XXX (where XXX is the package code.)

1.2 Relevant identified uses of the mixture and uses advised against

Identified uses: Sealant, duct block; two-part material

List of advices against: Not applicable.

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer:

Polywater Europe BV American Polywater Corporation **Local Contact Info**

Zuidhaven 9-11 Unit B2 11222 - 60th Street North Stillwater, MN 55082 USA 4761 CR Zevenbergen Tel: 1-651-430-2270 Netherlands

Tel: +31 (0)10 2330578 Email: sds@polywater.com Email: sds@ polywater.com

1.4 Emergency telephone numbers

INFOTRAC 1-800-535-5053 (USA) +1-352-323-3500 (International)

National Poison Information Centre (NVIC): +31(0)30 274 8888 (Professional use for acute poisoning only, Netherlands.)

Insert local poison control information here.

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to EU Regulation (EC) No 1272/2008 and Australia WHS Regulation (2011).

Acute Toxicity, Cat 4 Skin Irritation, Cat 2; H315 Eye Irritation, Cat 2; H319

Respiratory Sensitization, Cat 1; H334

Skin Sensitization, Cat 1; H317 Carcinogenicity, Cat 2; H351

Target Organ Toxicity (single exposure), Cat 3; H335

Target Organ Toxicity (repeated exposure), Cat 2; H373

2.2 Label elements

Contains: Polymeric diphenylmethane diisocyanate; 4,4'-Diphenylmethane diisocyanate (MDI)





Pictograms:

Signal word: Danger

Hazard Statements:

H332 Harmful if inhaled. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H351 Suspected of causing cancer. H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated inhalative exposure.

Supplemental Hazard Statement

EUH304 Contains isocyanates. May produce an allergic reaction.

Precautionary Statements:

P260 Do not breathe dust, vapor, or spray.

P284 In case of inadequate ventilation wear respiratory protection.
P280 Wear protective gloves, protective clothing and eye protection.

P304 + P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if

P338 present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice.

Notes: 4,4'-methylenediphenyl diisocyanate (MDI) has not been designated as a carcinogen

by IARC, NTP, ACGIH, OSHA, or the United States EPA. There are inadequate human carcinogenicity data, and only limited animal data. Additionally, the IARC Working Group noted that tumorigenic effects observed in animals may be attributed to non-specific particle effect (IARC monograph 71). Monomeric MDI (CAS # 101-68-8) has an EU harmonized classification (Annex VI to CLP) including Carc 2 (H351), but we do not expect this product to pose a carcinogenic hazard if users avoid inhalation

of vapor above exposure limits.

2.3 Other hazards: Information according to XVII. 56 REACH

Persons already sensitized to diisocyanates may develop allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate

gas filter (i.e. type A1 according to standard EN 14387) is used. Pregnant women should absolutely avoid inhalation and skin contact.

3. Composition/Information on Ingredients

<u>Component</u> Polymeric diphenylmethane diisocyanate	<u>CAS #</u> 9016-87-9	<u>EC #</u>	Wt. % 30 - 60	GHS/CLP Classification Acute Tox 4, Skin Irrit 2, Eye Irrit 2, Resp Sens1, STOT SE 3, STOT RE 2
4,4'-Diphenylmethane diisocyanate (MDI)	101-68-8	202-966-0	30 - 60	Acute Tox 4, Skin Sens 1, Skin Irrit 2, Eye Irrit 2, Resp Sens1, STOT SE 3, Carc 2, STOT RE 2

4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Immediately flush eyes with large quantity of water for 15 minutes. Seek medical

attention.

Skin Contact: Remove contaminated clothing; flush skin thoroughly with soap and water. If

irritation occurs, seek medical attention.

Inhalation (Breathing): If irritation of nose or throat develops, move to fresh air. If irritation persists, seek

medical attention.

Ingestion (Swallowing): If swallowed, rinse mouth and drink plenty of water. Do not induce vomiting. If

patient is conscious, wash out mouth with water. Never give anything by mouth to an unconscious person. Do not leave victim unattended. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause allergic skin and respiratory reaction. Refer to Section 11 for more information.

4.3 Indication of immediate medical attention and special treatment needed.

No information available.

5. Firefighting Measures

5.1 Extinguishing media:

Water Fog, Carbon Dioxide, Dry Chemical or Foam.

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition and by-products:

Carbon monoxide, hydrogen cyanide, nitrogen oxides, aromatic isocyanates, gases/vapors.

5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water spray may be used to cool fire exposed container to prevent pressure build-up and possible auto-ignition or rupture.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear full protective clothing, including appropriate respiratory protection.

6.2 Environmental precautions:

Prevent from entering waterways.

6.3 Methods materials for containment and cleaning up:

Spills expected to be small quantities. Collect excess material with absorbents or wipe with dry towels. Wash with a dilute ammonia solution.

6.4 Reference to other sections:

Refer to Sections 4, 5, 8, and 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Use and store this product with adequate ventilation. Avoid inhalation of vapors and personal contact with the product. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. Wash thoroughly after handling. Wash contaminated clothing before reuse. For industrial or professional use only.

7.2 Conditions for safe storage, including incompatibilities

Keep containers cool, dry, and away from sources of ignition. Keep cartridges capped and sealed. Protect from freezing. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

7.3 Specific end uses

See technical data sheet on this product for further information.

8. Exposure Controls / Personal Protection

8.1 Control parameters

Exposure limits and recommendations:

Country/Source	Component	exposure limit 8 hr TWA	exposure limit – 15 min
ECHA - DNEL	4,4'-Diphenylmethane diisocyanate (MDI)	0,05 mg/m ³	
U.K. EH 40 WEL	All Isocyanates as NCO	$0,02 \text{ mg/ m}^3$	$0,07 \text{ mg/ m}^3$
Germany - AGS, DFG	4,4'-Diphenylmethane diisocyanate (MDI)	$0,05 \text{ mg/ m}^3$	$0,05 \text{ mg/ m}^3$

Germany – AGS, DFG	Polymeric diphenylmethane diisocyanate	$0,05 \text{ mg/ m}^3$	0,05 mg/ m ³
France	4,4'-Diphenylmethane diisocyanate (MDI)	0,01 ppm	0,02 ppm
Spain	4,4'-Diphenylmethane diisocyanate (MDI)	$0,052 \text{ mg/ m}^3$	
Austria	4,4'-Diphenylmethane diisocyanate (MDI)	0,005 ppm	0,01 ppm
Belgium	4,4'-Diphenylmethane diisocyanate (MDI)	0,005 ppm	
Denmark	4,4'-Diphenylmethane diisocyanate (MDI)	0,005 ppm	0,01 ppm
Hungary	4,4'-Diphenylmethane diisocyanate (MDI)	$0,05 \text{ mg/ m}^3$	$0,05 \text{ mg/ m}^3$
Ireland	All Isocyanates as NCO	$0,02 \text{ mg/ m}^3$	0,07 mg/ m ³
Poland	4,4'-Diphenylmethane diisocyanate (MDI)	$0,05 \text{ mg/ m}^3$	$0,2 \text{ mg/ m}^3$
Sweden	4,4'-Diphenylmethane diisocyanate (MDI)	0,002 ppm	0,005 ppm
Australia OEL	All Isocyanates as NCO	0.02 mg/m^3	0.07 mg/m ³

BiologicaL Limit Values (BLV): None established for this material or its components

8.2 Exposure controls

Respiratory protection:

Use with adequate ventilation to keep vapor concentration below acceptable limits. Product dispensed through a static mixer and used as directed emits less than 0.001 ppm MDI vapor as tested by OSHA 47. Ventilation is not required for standard use. If ventilation is not adequate, use approved chemical/mechanical filters designed to remove a combination of particulate and organic vapors in open and restricted areas (combination filter: ABEKP). Use approved airline type respirators or hoods in confined areas.

Hand protection (protective gloves):

Gloves made from Nitrile rubber (Material thickness >0,1 mm for short time contact) are recommended. Gloves should be replaced after each short time contact or contamination. In the case of longer contact protective gloves made from nitrile rubber are recommended according to EN 374. Material thickness > 0,4 mm Perforation time > 480 minutes.

Eye protection:

Goggles which can be tightly sealed.

Skin protection (protective clothing):

Wear suitable protective clothing. Chemical resistant clothing made from nitrile rubber impregnated fabric is recommended. Remove and wash contaminated clothing before reuse. Discard contaminated shoes. Use protective cream if skin contact is likely.

9. Physical and Chemical

9.1 Information of basic physical and chemical properties

Appearance: Brown liquid

Odor threshold: Faint, aromatic odor pH: Does not apply Freezing point: Not available

Boiling point: 200°C

Flash point: 230°C (closed cup)

Evaporation rate: Not available **Flammability (solid, gas):** Does not apply

Upper/lower flammability or

explosive limits: Not available Vapor pressure: Not available Vapor density (Air = 1): 1,22 g/cm³ Specific gravity ($H_2O = 1$): 1,23 @ 25°C

Solubility in water: Reacts

Partition coefficient: n-

octanol/water: Not available Auto-ignition temperature: > 600°C

Decomposition temperature: Not available **Viscosity:** 250 cps @ 25°C

9.2 Other Information

Volatiles (Weight %): 0% VOC Content: 0 g/l

10. Stability and Reactivity

10.1 Reactivity:

Reacts with water, reacts with substances which contain active hydrogen.

10.2 Chemical stability:

Stable

10.3 Possibility of hazardous reactions:

Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid:

Avoid freezing, high temperatures, flame, high humidity and water contamination.

10.5 Incompatible materials:

Water, alcohols, amines, acids, alkalis, metal compounds.

10.6 Hazardous decomposition products:

Carbon monoxide, hydrogen cyanide, nitrogen oxides, aromatic isocyanates, gases/vapors.

11. Toxicological Information

11.1 Information on toxicological effects:

Acute toxicity

Eye contact:

Direct eye contact with material or vapors may cause eye irritation.

Skin contact:

Persons with pre-existing skin disorders may be more susceptible to skin irritation from this material. Allergic skin reaction symptoms include redness, swelling, blistering and itching.

Irritation and Sensitization Potential:

Product may be irritating to skin and eyes.

Inhalation (Breathing):

Material has low vapor pressure and inhalation hazard is expected to be minimal. Vapor exposure may cause irritation of the nose and throat. Symptoms may include burning sensation, coughing and shortness of breath, or other signs of respiratory distress. May cause allergic respiratory reaction below exposure guideline in susceptible individuals.

Ingestion:

Ingestion may cause irritation of the gastrointestinal tract.

Toxicity to Animals:

4,4'-Diphenylmethane diisocyanate (MDI): LD₅₀ (oral rat) >2,000 mg/kg

LD₅₀ (dermal rabbit) >9,400 mg/kg

LC₁₀ (inhl rat) 2.24 mg/m³, 1 hour, aerosol form

Aspiration Hazard:

No aspiration hazard expected.

Chronic Exposure:

Reproductive Toxicity: Not available.

Mutagenicity: Not available.

Teratogenicity: Not available.

Specific Target Organ

Toxicity (STOT) Contains material which causes damage to the upper respiratory tract.

Toxicologically Synergistic

Products:

Not available.

Carcinogenic Status: 4 4'-methyle

4,4'-methylenediphenyl diisocyanate (MDI) has not been designated as a carcinogen by IARC, NTP, ACGIH, OSHA, or the United States EPA. There are inadequate human carcinogenicity data, and only limited animal data. Additionally, the IARC Working Group noted that tumorigenic effects observed in animals may be attributed to non-specific particle effect (IARC monograph 71). Monomeric MDI (CAS # 101-68-8) has an EU harmonized classification (Annex VI to CLP) including Carc 2 (H351), but we do not expect this product to pose a carcinogenic hazard if users avoid inhalation of

vapor above exposure limits.

Respiratory/Skin Sensitization

May cause sensitization by inhalation and skin contact...

12. Ecological Information

12.1 Toxicity:

Aquatic Toxicity:

4,4'-Diphenylmethane diisocyanate (MDI): LC₅₀ (96 hr): > 1000 mg/l Brachydanio rerio (fish)

OECD Guideline 203 static

4,4'-Diphenylmethane diisocyanate (MDI): EC₅₀ (24 hr): > 1000 mg/l Daphnia magna (invertebrate)

OECD Guideline 202, part 1 static

4,4'-Diphenylmethane diisocyanate (MDI): EC₅₀ (72 hr): 1640 mg/l Green algae (aquatic plants)

OECD Guideline 201 static Elimination information:

<10% BOD of the ThOD (28d)

(OECD Guideline 302 C, aerobic, activated sludge)

Under test conditions, poorly biodegradable.

12.3 Bioaccumulation potential: Accumulation in organisms is not to be expected.

12.4 Mobility in soil: Adsorption to solid soil phase is not expected

12.5 Results of PBT and vPvB

12.2 Persistence and degradability:

This product is not, nor does it contain a substance that is a PBT or

Assessment: vPvB.

12.6 Other adverse effects:

None known.

13. Disposal Considerations

13.1 Waste Disposal

Incinerate or dispose of in a licensed facility. Do not discharge substance/product into sewer system.

Dispose of waste and residue in accordance with local authority requirements.

Waste code: 08 05 01 Waste isocyanates

14. Transport Information

UN Number: Not Listed **UN Proper shipping name:** Not Applicable Transport hazard class(es): Not Applicable Packing group: Not Applicable **Environmental hazards:** None known Special precautions: None known TDG: Not Regulated **ICAO/IATA-DGR:** Not Regulated IMDG: Not Regulated

ADR/RID: Not Regulated

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Product complies with the communication requirements of REACH Regulation (EC) No. 1907/2006. All components are listed on the European Inventory of Existing Chemical Substances (EINECS). Contains no substance on the REACH candidate list ≥ 0.1% SCL. Does not contain notified substances from the ELINCS List, Directive 92/32/EEC. Meets labeling and kitting requirements found in Entry 56 of Annex XVII.

Australia

All components are listed on the AICS.

Contains 4,4'-Diphenylmethane diisocyanate (MDI) listed on the National Pollutant Inventory (NPI) Hazardous according to criteria of NOHSC Australia.

USA Federal and State

All components are listed on the TSCA inventory.

Canada

All components are listed on the DSL inventory.

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for the mixture by the supplier.

16. Other Information

Abbreviations and acronyms:

OSHA = Occupational Safety and Health Administration

CLP = Classification, Labeling and Packaging Regulation

STOT = Specific Target Organ Toxicity

LD₅₀ = Median Lethal Dose

DNEL = Derived No Effect Level

ACGIH = American Conference of Governmental Industrial Hygienists

Mixture classification according to Regulation (EC) No 1272/2008:

TSCA = Toxic Substances Control Act (USA)

DSL = Domestic Substances List (Canada)

AICS = Australian Inventory of Chemical Substances

x.ca. o	ondoom out a coording to regulation (20) 110 1212/20001	
H332	Harmful if inhaled.	Calculation method.
H315	Causes skin irritation.	Calculation method.
H317	May cause an allergic skin reaction.	Calculation method.
H319	Causes serious eye irritation.	Calculation method.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	Calculation method.
H351	Suspected of causing cancer.	Calculation method.
H335	May cause respiratory irritation.	Calculation method.

exposure.

Revision Date: 9 August 2017

Revision Number: 3

H373

Supersedes: 7 January 2016 **Other:** Not Applicable

Indication of Changes: Updated sections 1, 2, 8, 9, 16: new product codes, updated hazard and precaution

phrases, new exposure data, formatting updates.

May cause damage to organs through prolonged or repeated inhalative

Classification Procedure

Calculation method.

Written in accordance with the provisions of REACH Annex II (EU No 453/2010) and Australia WHS Regulation (2011). (GHS format)

The information and recommendations contained herein are believed to be reliable. However, the supplier makes no warranties, express or implied, concerning the use of this product. The buyer must determine conditions of safe usage and assumes all risk and liability in handling this product.

Revision Date: 16 August 16, 2017 Revision Number: rev 3 supersedes 2

SAFETY DATA SHEET

1. Identification of the substance/mixture and of the company

1.1 Product identifier

Product Name: ZipSeal™ Duct Seal ZIP (Part B)

Product ID numbers: ZIP-50KIT1, ZIP-XXX (where XXX is the package code.)

1.2 Relevant identified uses of the mixture and uses advised against

Identified uses: Sealant, duct block; two-part material

List of advices against: Not applicable.

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer:

Polywater Europe BV American Polywater Corporation Local Contact Info

Zuidhaven 9-11 Unit B2
4761 CR Zevenbergen
Netherlands
Tel: +31 (0)10 2330578

11222 - 60th Street North
Stillwater, MN 55082 USA
Tel: 1-651-430-2270
Email: sds@polywater.com

Email: sds@ polywater.com

1.4 Emergency telephone numbers

INFOTRAC 1-800-535-5053 (USA) +1-352-323-3500 (International)

National Poison Information Centre (NVIC): +31(0)30 274 8888 (Professional use for acute poisoning only, Netherlands.)

Insert local poison control information here.

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to EU Regulation (EC) No 1272/2008 and Australia WHS Regulation (2011).

Acute Toxicity, Cat 4; H302 Skin Irrit., Cat 2; H319

Chronic Aquatic Tox; Cat 2, H411

2.2 Label elements

2-Propanol, 1-chloro-, Phosphate (3:1), Reaction product of propylidynetrimethanol,

Contains: propylene oxide and ammonia





Pictograms:

Signal word: Warning

Hazard Statements:

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements:

P273 Avoid release to the environment.

P280 Wear eye protection.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

P338 if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persist: Get medical advice.

P391 Collect spillage.

P501 Dispose of contents in accordance with local regulations.

2.3 Other hazards: No information available.

3. Composition/Information on Ingredients

Component Polyether polyol mixture	CAS # Proprietary	EC # 	<u>Wt. %</u> 60 - 100	GHS/CLP Classification
2-propanol, 1-chloro-, Phosphate (3:1)	13674-84-5	237-158-7	10 - 30	Acute Tox. 4
Reaction product of propylidynetrimethanol, propylene oxide and ammonia	39423-51-3	500-105-6	1 - 5	Acute Tox 4, Eye Dam 1
Tertiary amine compounds	Proprietary		0.1 - 1	

4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Immediately flush eyes with large quantity of water for 15 minutes. Seek medical

attention.

Skin Contact: Remove contaminated clothing; flush skin thoroughly with soap and water. If

irritation occurs, seek medical attention.

Inhalation (Breathing): If irritation of nose or throat develops, move to fresh air. If irritation persists, seek

medical attention.

Ingestion (Swallowing): If swallowed, get medical attention. Do not induce vomiting. If patient is

conscious, wash out mouth with water. Never give anything by mouth to an

unconscious person. Do not leave victim unattended.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of immediate medical attention and special treatment needed.

No information available.

5. Firefighting Measures

5.1 Extinguishing media:

Water Fog, Carbon Dioxide, Dry Chemical or Foam.

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition and by-products:

Carbon monoxide, carbon dioxide, phosphorus oxides, silicon dioxide, hydrogen chloride gas.

5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water spray may be used to cool fire exposed container to prevent pressure build-up and possible auto-ignition or rupture.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear full protective clothing, including appropriate respiratory protection.

6.2 Environmental precautions:

Prevent from entering waterways.

6.3 Methods materials for containment and cleaning up:

Spills expected to be small quantities. Collect excess material with absorbents or wipe with dry towels. Wash with a dilute ammonia solution.

6.4 Reference to other sections:

Refer to Sections 4, 5, 8, and 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Use and store this product with adequate ventilation. Avoid inhalation of vapors and personal contact with the product. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. Wash thoroughly after handling. Wash contaminated clothing before reuse. For industrial or professional use only.

7.2 Conditions for safe storage, including incompatibilities

Keep containers dry, and away from excessive heat. Keep cartridges capped and sealed. Protect from freezing. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

7.3 Specific end uses

See technical data sheet on this product for further information.

8. Exposure Controls / Personal Protection

8.1 Control parameters

Exposure limits and recommendations:

Contains no components with established Occupational Exposure Limit (OEL) values.

8.2 Exposure controls

Respiratory protection:

Use with adequate ventilation to keep vapor concentration below acceptable limits.

Protective gloves:

The use of chemically resistant gloves is recommended to prevent skin contact. Suitable materials include neoprene, butyl rubber, Viton, Buna N, and chlorinated polyethylene.

Eye protection:

Safety glasses recommended.

Other protective equipment:

Use protective cream if skin contact is likely. Remove and wash contaminated clothing before reuse. Discard contaminated shoes.

9. Physical and Chemical

9.1 Information of basic physical and chemical properties

Appearance: Black liquid

Odor threshold: Mild amine odor

pH: Not available

Freezing point: Not available

Boiling point: >200°C)

Flash point: >182°C (PMCC)
Evaporation rate: Not available
Flammability (solid, gas): Does not apply

Upper/lower flammability or

explosive limits: Not available Vapor pressure: Not available Vapor density (Air = 1): Not available Specific gravity ($H_2O = 1$): Not available Solubility in water: Slightly soluble

Partition coefficient: n-

octanol/water:

Auto-ignition temperature:

Not available

Not available

Not available

Viscosity:

Not available

650 cps @ 25°C

9.2 Other Information

Volatiles (Weight %): 0% VOC Content: 0 g/l

10. Stability and Reactivity

10.1 Reactivity:

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability:

Stable

10.3 Possibility of hazardous reactions:

Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid:

Avoid freezing, high temperatures, and moisture.

10.5 Incompatible materials :

Isocyanates, strong oxidizing agents and strong bases.

10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, phosphorus oxides, silicon dioxide, hydrogen chloride gas.

11. Toxicological Information

11.1 Information on toxicological effects:

Acute toxicity

Eye contact:

Direct eye contact with material or vapors may cause eye irritation.

Skin contact:

May cause skin irritation

Irritation and Sensitization Potential:

Not considered a skin sensitizer.

Inhalation (Breathing):

May cause respiratory irritation.

Ingestion:

Harmful if swallowed.

Toxicity to Animals:

2-propanol, 1-chloro-, Phosphate (3:1) LD₅₀ (oral rat) 1500 mg/kg

LD₅₀ (dermal rabbit) 1230 mg/kg LC₁₀ (inhl rat) 5 mg/m³, 4 hours

Aspiration Hazard:

No aspiration hazard expected.

Chronic Exposure:

Reproductive Toxicity: Not available.

Mutagenicity: Not available.

Teratogenicity: Not available.

Specific Target Organ

Toxicity (STOT) Not available.

Toxicologically Synergistic

Products: Not available.

This substance has not been identified as a carcinogen or probable carcinogen by NTP, IARC, or OSHA, nor have any of its components.

12. Ecological Information

12.1 Aquatic Toxicity: No information available.
 12.2 Persistence and degradability: No information available.
 12.3 Bioaccumulation potential: No information available.
 12.4 Mobility in soil: No information available.

12.5 Results of PBT and vPvBThis product is not, nor does it contain a substance that is a PBT or

Assessment: vPvB.

12.6 Other adverse effects: None known.

13. Disposal Considerations

Dispose of product in accordance with National and Local Regulations.

14. Transport Information

UN Number: Not Listed **UN Proper shipping name:** Not Applicable Transport hazard class(es): Not Applicable Not Applicable Packing group: **Environmental hazards:** None known Special precautions: None known TDG: Not Regulated **ICAO/IATA-DGR:** Not Regulated IMDG: Not Regulated Not Regulated ADR/RID:

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Product complies with the communication requirements of REACH Regulation (EC) No. 1907/2006. All components are listed on the European Inventory of Existing Chemical Substances (EINECS). Contains no substance on the REACH candidate list ≥ 0.1% SCL. Does not contain notified substances from the ELINCS List, Directive 92/32/EEC. Contains no REACH substances with Annex XVII restrictions.

Australia

All components are listed on the AICS.

USA Federal and State

All components are listed on the TSCA inventory.

Canada

All components are listed on the DSL inventory.

This product has been classified according to the hazard criteria of the CPR.

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for the mixture by the supplier.

16. Other Information

Abbreviations and acronyms:

OSHA = Occupational Safety and Health Administration

CLP = Classification, Labeling and Packaging Regulation

STOT = Specific Target Organ Toxicity

LD₅₀ = Median Lethal Dose

DNEL = Derived No Effect Level

ACGIH = American Conference of Governmental Industrial Hygienists

TSCA = Toxic Substances Control Act (USA)

DSL = Domestic Substances List (Canada)

AICS = Australian Inventory of Chemical Substances

Mixture classification according to Regulation (EC) No 1272/2008: Classification Procedure

H302 Harmful if swallowed.
 H319 Causes serious eye irritation.
 H411 Toxic to aquatic life with long lasting effects
 Calculation method.
 Calculation method.

Revision Date: 16 August 2017

Revision Number: 3 EU

Supersedes: 7 January 2016 **Other:** Not Applicable

Indication of Changes: Updated sections 1, 2, 16: new product codes, updated hazard and precaution

phrases, formatting updates.

Written in accordance with the provisions of REACH Annex II (EU No 453/2010) and

Australia WHS Regulation (2011). (GHS format)

The information and recommendations contained herein are believed to be reliable. However, the supplier makes no warranties, express or implied, concerning the use of this product. The buyer must determine conditions of safe usage and assumes all risk and liability in handling this product.