

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	Polywater® CLR Clear lubricant
Registration number (REACH)	not relevant (mixture)
Alternative number(s)	article number CLR-XXX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Professional use Industrial use
--------------------------	------------------------------------

1.3 Details of the supplier of the safety data sheet

Polywater Europe BV
Zuidhaven 9-11 Unit B2
4761 CR Zevenbergen
The Netherlands

Telephone: +31 (0)10 2330578
e-mail: sds@polywater.com
Website: www.polywater.com

e-mail (competent person)	sds@polywater.com
---------------------------	--

1.4 Emergency telephone number

Emergency information service	+31 (0)10 2330578 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00
-------------------------------	---

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)
This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)
Not required.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious).

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Non-combustible. Co-ordinate firefighting measures to the fire surroundings.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. High temperature steam. Carbon monoxide (CO). Carbon dioxide (CO₂).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Exposure to elevated temperatures can cause water in the product to boil and generate gas. This can cause pressure build-up and/or rupturing of closed containers. Keep containers cool with water spray.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Spilled material creates extremely slippery conditions. Remove persons to safety.

For emergency responders

Use personal protective equipment as required.

6.2 Environmental precautions

Advice on how to clean up a spill: use of adsorbent materials.

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. To clean the floor and all objects contaminated by this material, use plenty of water. Oxidizing agents, such as household bleach, can be used to eliminate the slippery character.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

First aid measures: see section 4. Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

High temperatures. Humidity. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

Lubricant for cable installation.

See technical data sheet on this product for further information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Notation	Source
GB	propane-1,2-diol	57-55-6	WEL		10			particle	EH40/2005
GB	propane-1,2-diol	57-55-6	WEL	150	474			vp	EH40/2005

Notation

particle

as airborne particles

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

vp

as vapours and particulates

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Personal protective equipment (PPE) for normal use.

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (gel)
Colour	transparent - clear
Odour	characteristic

Other safety parameters

pH (value)	6.5 – 8
Melting point/freezing point	0 °C
Initial boiling point and boiling range	100 °C
Flash point	none
Evaporation rate	no data available
Explosive limits	not applicable
Vapour pressure	18 mmHg at 22 °C
Density	not determined
Vapour density	0.9 - 1.1 (air = 1)
Relative density	0.98 (water = 1)

Solubility(ies)

- water solubility	miscible in any proportion
--------------------	----------------------------

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

Auto-ignition temperature	not applicable
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

9.2 Other information

Volatiles (weight%) >90%.
Volatile Organic Compound (VOC) 10 g/L.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

SECTION 14: Transport information

- | | |
|--|---|
| 14.1 UN number | not subject to transport regulations |
| 14.2 UN proper shipping name | not relevant |
| 14.3 Transport hazard class(es) | none |
| 14.4 Packing group | not assigned to a packing group |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Special precautions for user | There is no additional information. |
| 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code | No data available. |

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Relevant provisions of the European Union (EU)**
- List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list**
- None of the ingredients are listed.
- Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**
- None of the ingredients are listed.
- Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**
- None of the ingredients are listed.
- Regulation 98/2013/EU on the marketing and use of explosives precursors**
- None of the ingredients are listed.
- 15.2 Chemical Safety Assessment**
- No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.2	Relevant identified uses: Professional use	Relevant identified uses: Professional use Industrial use
1.2	Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).	
4.1	General notes: Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.	General notes: Do not leave affected person unattended. In all cases of doubt, or when symptoms persist, seek medical advice.
4.1	Following ingestion: Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Get medical advice/attention if you feel unwell.	Following ingestion: Rinse mouth with water (only if the person is conscious).
5.1	Suitable extinguishing media: Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO ₂)	Suitable extinguishing media: Non-combustible. Co-ordinate firefighting measures to the fire surroundings.
5.1	Unsuitable extinguishing media: Water jet.	
5.2	Hazardous combustion products: During fire hazardous fumes/smoke could be produced.	Hazardous combustion products: During fire hazardous fumes/smoke could be produced. High temperature steam. Carbon monoxide (CO). Carbon dioxide (CO ₂).
5.3	Advice for firefighters: In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.	Advice for firefighters: In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Exposure to elevated temperatures can cause water in the product to boil and generate gas. This can cause pressure build-up and/or rupturing of closed containers. Keep containers cool with water spray.
6.1	For non-emergency personnel: Remove persons to safety. Ventilate affected area.	For non-emergency personnel: Spilled material creates extremely slippery conditions. Remove persons to safety.
6.1	For emergency responders: Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.	For emergency responders: Use personal protective equipment as required.
6.2	Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.	Environmental precautions: Advice on how to clean up a spill: use of adsorbent materials.
6.3	Advices on how to contain a spill: Covering of drains.	Advice on how to contain a spill: Covering of drains. To clean the floor and all objects contaminated by this material, use plenty of water. Oxidizing agents, such as household bleach, can be used to eliminate the slippery character.
6.3	Other information relating to spills and releases: Place in appropriate containers for disposal. Ventilate affected area.	Other information relating to spills and releases: Place in appropriate containers for disposal.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

Section	Former entry (text/value)	Actual entry (text/value)
6.4	Reference to other sections: Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.	Reference to other sections: First aid measures: see section 4. Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.
7.1	Recommendations	
7.1	- measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas.	
7.2	Managing of associated risks	
7.2	- incompatible substances or mixtures: Keep away from alkalis, oxidising substances, acids.	
7.2	Protect against external exposure, such as: High temperatures. Frost. UV-radiation/sunlight.	Protect against external exposure, such as: High temperatures. Humidity. UV-radiation/sunlight.
7.3	Specific end use(s): There is no additional information.	Specific end use(s): Lubricant for cable installation. See technical data sheet on this product for further information.
8.2	Appropriate engineering controls: General ventilation.	
8.2	Individual protection measures (personal protective equipment)	Individual protection measures (personal protective equipment): Personal protective equipment (PPE) for normal use.
8.2	Eye/face protection: eye protection must be worn Use safety goggle with side protection (EN 166).	
8.2	Skin protection: Protective clothing (EN 340 & EN ISO 13688).	
8.2	Hand protection: safety gloves must be worn Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	
8.2	Breakthrough times of the glove material: >480 minutes (permeation: level 6).	
8.2	- other protection measures: Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.	
8.2	Respiratory protection: In case of inadequate ventilation wear respiratory protection.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

Section	Former entry (text/value)	Actual entry (text/value)
8.2	Environmental exposure controls: Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.	Environmental exposure controls: Use appropriate container to avoid environmental contamination.
9.1	Flash point: not determined	Flash point: none
9.1	Flammability (solid, gas): not relevant, (fluid)	
9.1	Vapour density: this information is not available	Vapour density: 0.9 - 1.1 (air = 1)
9.1	Relative density: 0.98 (water = 1) 0.9 - 1.1 (air = 1)	Relative density: 0.98 (water = 1)
9.2	Other information: There is no additional information.	Other information: Volatiles (weight%) >90%. Volatile Organic Compound (VOC) 10 g/L.
10.5	Incompatible materials: Oxidisers.	Incompatible materials: There is no additional information.
13.1	Sewage disposal-relevant information: Do not empty into drains. Avoid release to the environment.	Sewage disposal-relevant information: Do not empty into drains.

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Polywater® CLR Clear lubricant

Version number: 10.0
Replaces version of: 2019-03-26 (9)

Revision: 2020-06-15

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.